Author Index

Abian, J., see Hansen, Jr., E. B. 603(1992)157
Aitzetmüller, K., Xin, Y., Werner, G. and Grönheim, M.
High-performance liquid chromatographic investigations of stillingia oil 603(1992)165
Akashi, M., see Yashima, E. 603(1992)111
Andersson, K., see Wingren, C. 603(1992)73
Antus, S., Bauer, R., Gottsegen, Á., Lotter, H., Seligmann, O. and Wagner, H.
Enantiomeric separation of racemic isoflavanones and related compounds on (+)-poly(triphenylmethyl methacrylate)-coated silica gel 603(1992)133
Araki, H., see Yoshioka, M. 603(1992)223
Armstrong, D. W., see Lee, S. H. 603(1992)83
Arthur, C. L., see Hawthorne, S. B. 603(1992)185
Asakawa, N., see Mano, N. 603(1992)105
Baines, P., see Chappell, I. 603(1992)49
Barceló, D., see Durand, G. 603(1992)175
Bauer, R., see Antus, S. 603(1992)133
Berthod, A., see Lee, S. H. 603(1992)83
Biely, P., see Markovič, O. 603(1992)243
Bonnafous, J.-C., see Desarnaud, F. 603(1992)95
Brumley, W. C.
Qualitative analysis of environmental samples for aromatic sulfonic acids by high-performance capillary electrophoresis 603(1992)267
Carpenter, P. K., see Chappell, I. 603(1992)49
Chappell, I., Baines, P. and Carpenter, P. K.
Reduction in large-scale adsorption chromatography unit costs by use of 30-Å Sorbsil C30 silica 603(1992)49
Chen, N., Zhang, Y. and Lu, P.
The *S* index in the retention equation in reversed-phase high-performance liquid chromatography 603(1992)35
Choinski, Jr., J. S., see Hansen, Jr., E. B. 603(1992)157
Christensen, R. G., see Zhang, X. 603(1992)193
Clasen, P.-E., see Langseth, W. 603(1992)290
Cooper, W. T., see Hsu, C. W. 603(1992)63
Dang, Q.-x., Sun, Z.-p. and Ling, D.-k.
Separation of sulphonamides and determination of the active ingredients in tablets by micellar electrokinetic capillary chromatography 603(1992)259
Desarnaud, F., Marie, J., Larguier, R., Lombard, C., Jard, S. and Bonnafous, J.-C.
Protein purification using combined streptavidin (or avidin)-Sepharose and thiopropyl-Sepharose affinity chromatography 603(1992)95
De Vries, N. K., see Duchateau, A. L. L. 603(1992)151
Do, D. D., see Nguyen, T. S. 603(1992)27
Duchateau, A. L. L., Heemels, G. M. P., Maesen, L. W. and De Vries, N. K.
Separation of benz[*f*]isoindole derivatives of amino acid and amino acid amide enantiomers on a β-cyclodextrin-bonded phase 603(1992)151
Durand, G., Gille, P., Fraisse, D. and Barceló, D.
Comparison of gas chromatographic–mass spectrometric methods for screening of chlorotriazine pesticides in soil 603(1992)175
Erlandsson, P., see Wännman, H. 603(1992)121
Fraisse, D., see Durand, G. 603(1992)175
Frey, D. D., Van de Water, R. and Zhang, B.
Dispersion in stacked-membrane chromatography 603(1992)43
Getek, T. A., see Hansen, Jr., E. B. 603(1992)157
Giddings, L. D., Olesik, S. V., Pekay, L. A. and Marti, E.
Retention characteristics of high-molecular-weight compounds in capillary supercritical fluid chromatography 603(1992)205
Gilbert, J., see Sharman, M. 603(1992)285
Gille, P., see Durand, G. 603(1992)175
Golshan-Shirazi, S. and Guiochon, G.
Comparison of the various kinetic models of non-linear chromatography 603(1992)1
Gottsegen, Á., see Antus, S. 603(1992)133
Grönheim, M., see Aitzetmüller, K. 603(1992)165
Guiochon, G., see Golshan-Shirazi, S. 603(1992)1
Guiochon, G., see Ma, Z. 603(1992)13
Hansen, Jr., E. B., Abian, J., Getek, T. A., Choinski, Jr., J. S. and Korfmacher, W. A.
High-performance liquid chromatography–thermospray mass spectrometry of gibberellins 603(1992)157
Hansson, U.-B., see Wingren, C. 603(1992)73
Hawthorne, S. B., Miller, D. J., Pawliszyn, J. and Arthur, C. L.
Solventless determination of caffeine in beverages using solid-phase microextraction with fused-silica fibers 603(1992)185
Heemels, G. M. P., see Duchateau, A. L. L. 603(1992)151
Heinrichová, K., see Markovič, O. 603(1992)243
Hsu, C. W. and Cooper, W. T.
Solvent–stationary phase interactions in normal bonded phase high-performance liquid chromatographic columns. I. Investigation of system peaks in amino bonded phase columns 603(1992)63
Hu, S.-G., see Nguyen, T. S. 603(1992)27
Jakubik, T., see Lesko, J. 603(1992)294
Jard, S., see Desarnaud, F. 603(1992)95
Kiyohara, C., see Saitoh, K. 603(1992)231
Korfmacher, W. A., see Hansen, Jr., E. B. 603(1992)157
Korte, W. D.
Determination of hydroxylamine in aqueous solutions of pyridinium aldoximes by high-performance liquid chromatography with UV and fluorometric detection 603(1992)145
Lam, S., see Zhang, Z. 603(1992)279
Landers, J. P., Schuchard, M. D., Subramaniam, M., Sismelich, T. P. and Spelsberg, T. C.
High-performance capillary electrophoretic analysis of chloramphenicol acetyl transferase activity 603(1992)247
Langseth, W. and Clasen, P.-E.
Automation of a clean-up procedure for determination of trichothecenes in cereals using a charcoal–alumina column 603(1992)290

Author Index

Abian, J., see Hansen, Jr., E. B. 603(1992)157
Aitzetmüller, K., Xin, Y., Werner, G. and Grönheim, M.
High-performance liquid chromatographic investigations of stillingia oil 603(1992)165
Akashi, M., see Yashima, E. 603(1992)111
Andersson, K., see Wingren, C. 603(1992)73
Antus, S., Bauer, R., Gottsegen, Á., Lotter, H., Seligmann, O. and Wagner, H.
Enantiomeric separation of racemic isoflavanones and related compounds on (+)-poly(triphenylmethyl methacrylate)-coated silica gel 603(1992)133
Araki, H., see Yoshioka, M. 603(1992)223
Armstrong, D. W., see Lee, S. H. 603(1992)83
Arthur, C. L., see Hawthorne, S. B. 603(1992)185
Asakawa, N., see Mano, N. 603(1992)105
Baines, P., see Chappell, I. 603(1992)49
Barceló, D., see Durand, G. 603(1992)175
Bauer, R., see Antus, S. 603(1992)133
Berthod, A., see Lee, S. H. 603(1992)83
Biely, P., see Markovič, O. 603(1992)243
Bonnafous, J.-C., see Desarnaud, F. 603(1992)95
Brumley, W. C.
Qualitative analysis of environmental samples for aromatic sulfonic acids by high-performance capillary electrophoresis 603(1992)267
Carpenter, P. K., see Chappell, I. 603(1992)49
Chappell, I., Baines, P. and Carpenter, P. K.
Reduction in large-scale adsorption chromatography unit costs by use of 30-Å Sorbsil C30 silica 603(1992)49
Chen, N., Zhang, Y. and Lu, P.
The *S* index in the retention equation in reversed-phase high-performance liquid chromatography 603(1992)35
Choinski, Jr., J. S., see Hansen, Jr., E. B. 603(1992)157
Christensen, R. G., see Zhang, X. 603(1992)193
Clasen, P.-E., see Langseth, W. 603(1992)290
Cooper, W. T., see Hsu, C. W. 603(1992)63
Dang, Q.-x., Sun, Z.-p. and Ling, D.-k.
Separation of sulphonamides and determination of the active ingredients in tablets by micellar electrokinetic capillary chromatography 603(1992)259
Desarnaud, F., Marie, J., Larguier, R., Lombard, C., Jard, S. and Bonnafous, J.-C.
Protein purification using combined streptavidin (or avidin)-Sepharose and thiopropyl-Sepharose affinity chromatography 603(1992)95
De Vries, N. K., see Duchateau, A. L. L. 603(1992)151
Do, D. D., see Nguyen, T. S. 603(1992)27
Duchateau, A. L. L., Heemels, G. M. P., Maesen, L. W. and De Vries, N. K.
Separation of benz[*f*]isoindole derivatives of amino acid and amino acid amide enantiomers on a β-cyclodextrin-bonded phase 603(1992)151
Durand, G., Gille, P., Fraisse, D. and Barceló, D.
Comparison of gas chromatographic–mass spectrometric methods for screening of chlorotriazine pesticides in soil 603(1992)175
Erlandsson, P., see Wännman, H. 603(1992)121
Fraisse, D., see Durand, G. 603(1992)175
Frey, D. D., Van de Water, R. and Zhang, B.
Dispersion in stacked-membrane chromatography 603(1992)43
Getek, T. A., see Hansen, Jr., E. B. 603(1992)157
Giddings, L. D., Olesik, S. V., Pekay, L. A. and Marti, E.
Retention characteristics of high-molecular-weight compounds in capillary supercritical fluid chromatography 603(1992)205
Gilbert, J., see Sharman, M. 603(1992)285
Gille, P., see Durand, G. 603(1992)175
Golshan-Shirazi, S. and Guiochon, G.
Comparison of the various kinetic models of non-linear chromatography 603(1992)1
Gottsegen, Á., see Antus, S. 603(1992)133
Grönheim, M., see Aitzetmüller, K. 603(1992)165
Guiochon, G., see Golshan-Shirazi, S. 603(1992)1
Guiochon, G., see Ma, Z. 603(1992)13
Hansen, Jr., E. B., Abian, J., Getek, T. A., Choinski, Jr., J. S. and Korfmacher, W. A.
High-performance liquid chromatography–thermospray mass spectrometry of gibberellins 603(1992)157
Hansson, U.-B., see Wingren, C. 603(1992)73
Hawthorne, S. B., Miller, D. J., Pawliszyn, J. and Arthur, C. L.
Solventless determination of caffeine in beverages using solid-phase microextraction with fused-silica fibers 603(1992)185
Heemels, G. M. P., see Duchateau, A. L. L. 603(1992)151
Heinrichová, K., see Markovič, O. 603(1992)243
Hsu, C. W. and Cooper, W. T.
Solvent–stationary phase interactions in normal bonded phase high-performance liquid chromatographic columns. I. Investigation of system peaks in amino bonded phase columns 603(1992)63
Hu, S.-G., see Nguyen, T. S. 603(1992)27
Jakubik, T., see Lesko, J. 603(1992)294
Jard, S., see Desarnaud, F. 603(1992)95
Kiyohara, C., see Saitoh, K. 603(1992)231
Korfmacher, W. A., see Hansen, Jr., E. B. 603(1992)157
Korte, W. D.
Determination of hydroxylamine in aqueous solutions of pyridinium aldoximes by high-performance liquid chromatography with UV and fluorometric detection 603(1992)145
Lam, S., see Zhang, Z. 603(1992)279
Landers, J. P., Schuchard, M. D., Subramaniam, M., Sismelich, T. P. and Spelsberg, T. C.
High-performance capillary electrophoretic analysis of chloramphenicol acetyl transferase activity 603(1992)247
Langseth, W. and Clasen, P.-E.
Automation of a clean-up procedure for determination of trichothecenes in cereals using a charcoal–alumina column 603(1992)290

Larguier, R., see Desarnaud, F. 603(1992)95
Lee, S. H., Berthod, A. and Armstrong, D. W.
Systematic study on the resolution of derivatized amino acids enantiomers on different cyclodextrin-bonded stationary phases 603(1992)83
Lesko, J., Jakubik, T. and Michalkova, A.
Gas chromatographic–mass spectrometric detection of trace amounts of organic compounds in the intravenous solution Infusio Darrowi 603(1992)294
Ling, D.-k., see Dang, Q.-x. 603(1992)259
Lombard, C., see Desarnaud, F. 603(1992)95
Lotter, H., see Antus, S. 603(1992)133
Lu, P., see Chen, N. 603(1992)35
Ma, Z. and Guiochon, G.
Comparison between the hodograph transform method and frontal chromatography for the measurement of binary competitive adsorption isotherms 603(1992)13
MacDonald, S., see Sharman, M. 603(1992)285
Maesen, L. W., see Duchateau, A. L. L. 603(1992)151
Malikin, G., see Zhang, Z. 603(1992)279
Manabe, M., see Naohara, J. 603(1992)139
Mano, N., Oda, Y., Miwa, T., Asakawa, N., Yoshida, Y. and Sato, T.
Conalbumin-conjugated silica gel, a new chiral stationary phase for high-performance liquid chromatography 603(1992)105
Marie, J., see Desarnaud, F. 603(1992)95
Markovič, O., Mislovičová, D., Biely, P. and Heinrichová, K.
Chromogenic substrate for *endo*-polygalacturonase detection in gels 603(1992)243
Marti, E., see Giddings, L. D. 603(1992)205
Martire, D. E., see Zhang, X. 603(1992)193
Michalkova, A., see Lesko, J. 603(1992)294
Miller, D. J., see Hawthorne, S. B. 603(1992)185
Mislovičová, D., see Markovič, O. 603(1992)243
Miwa, T., see Mano, N. 603(1992)105
Miyauchi, N., see Yashima, E. 603(1992)111
Miyazaki, T., see Yoshioka, M. 603(1992)223
Nakano, M., see Yoshioka, M. 603(1992)223
Naohara, J. and Manabe, M.
Separation of oligogalacturonic acids by high-performance gel filtration chromatography on silica gel with diol radical 603(1992)139
Nguyen, T. S., Hu, S.-G. and Do, D. D.
Batch dynamic adsorption of dipeptides onto reversed-phase silica gel 603(1992)27
Oda, Y., see Mano, N. 603(1992)105
Olesik, S. V., see Giddings, L. D. 603(1992)205
Pawliszyn, J., see Hawthorne, S. B. 603(1992)185
Pchelkin, V. P. and Vereshchagin, A. G.
Reversed-phase thin-layer chromatography of diacylglycerols in the presence of silver ions 603(1992)213
Pekay, L. A., see Giddings, L. D. 603(1992)205
Peterson, T. E. and Trowbridge, D.
Quantitation of *l*-epinephrine and determination of the *d*-/*l*-epinephrine enantiomer ratio in a pharmaceutical formulation by capillary electrophoresis 603(1992)298
Rowe, R. C., see Wren, S. A. C. 603(1992)235
Saitoh, K., Kiyohara, C. and Suzuki, N.
Formation of zinc complexes during chromatography of porphyrins on fluorescent thin-layer plates 603(1992)231
Sato, T., see Mano, N. 603(1992)105
Sawa, T., see Yashima, E. 603(1992)111
Schuchard, M. D., see Landers, J. P. 603(1992)247
Seki, M., see Yoshioka, M. 603(1992)223
Seligmann, O., see Antus, S. 603(1992)133
Sharman, M., MacDonald, S. and Gilbert, J.
Automated liquid chromatographic determination of ochratoxin A in cereals and animal products using immunoaffinity column clean-up 603(1992)285
Shiiba, T., see Yashima, E. 603(1992)111
Sismelich, T. P., see Landers, J. P. 603(1992)247
Spelsberg, T. C., see Landers, J. P. 603(1992)247
Subramaniam, M., see Landers, J. P. 603(1992)247
Sun, Z.-p., see Dang, Q.-x. 603(1992)259
Suzuki, N., see Saitoh, K. 603(1992)231
Trowbridge, D., see Peterson, T. E. 603(1992)298
Utsuki, T., see Yoshioka, M. 603(1992)223
Van de Water, R., see Frey, D. D. 603(1992)43
Vereshchagin, A. G., see Pchelkin, V. P. 603(1992)213
Wagner, H., see Antus, S. 603(1992)133
Walhagen, A., see Wännman, H. 603(1992)121
Wännman, H., Walhagen, A. and Erlandsson, P.
Practical approach to the miniaturization of chiral separations in liquid chromatography using packed fused-silica capillary columns 603(1992)121
Werner, G., see Aitzetmüller, K. 603(1992)165
Wheatley, J. B.
Multiple ligand applications in high-performance immunoaffinity chromatography 603(1992)273
Wingren, C., Hansson, U.-B. and Andersson, K.
Supports for liquid–liquid partition chromatography in aqueous two-phase systems: a comparison of Superdex and LiParGel 603(1992)73
Wren, S. A. C. and Rowe, R. C.
Theoretical aspects of chiral separation in capillary electrophoresis. I. Initial evaluation of a model 603(1992)235
Xin, Y., see Aitzetmüller, K. 603(1992)165
Yaginuma, T., see Yoshioka, M. 603(1992)223
Yashima, E., Shiiba, T., Sawa, T., Miyauchi, N. and Akashi, M.
High-performance affinity chromatography of oligonucleotides on nucleic acid analogue immobilized silica gel columns 603(1992)111
Yoshida, Y., see Mano, N. 603(1992)105
Yoshioka, M., Araki, H., Seki, M., Miyazaki, T., Utsuki, T., Yaginuma, T. and Nakano, M.
Fluorescence reactions of inorganic cations heated on a porous glass sheet for thin-layer chromatography 603(1992)223
Zhang, B., see Frey, D. D. 603(1992)43

Zhang, X., Martire, D. E. and Christensen, R. G.
Characterization of a supercritical fluid chromatographic retention process with a large pressure drop by the temporal average density 603(1992)193
Zhang, Y., see Chen, N. 603(1992)35
Zhang, Z., Malikin, G. and Lam, S.
Novel polymeric reagent for synthesizing 9-fluorenylmethoxycarbonyl L-prolinyl derivatives for chiral high-performance liquid chromatography of amino acids 603(1992)279

Errata

J. Chromatogr., 597 (1992) 37–56

Page 52, third line: "[4,86]" should read "[84,86]".

J. Chromatogr., 597 (1992) 93–100

Page 97, sixth and fifth line from bottom should read: "That these agreements are probably irrelevant can be shown with the tripeptide Trp-Trp-Trp (Table IV)."